



Errors in 2020 Census Data Due to New Privacy Controls A User's Guide

Jonathan Schroeder,
David Van Riper, Tracy Kugler
IPUMS & Minnesota Population Center

Virtual AAG Meeting – February 28, 2022



Disclosure Avoidance for the 2020 Census: An Introduction



"The Handbook"

https://www.census.gov/library/publications/2021/decennial/2020-census-disclosure-avoidance-handbook.html

Consistency of Data Products and Formal Privacy Methods for the 2020 Census

Contact: Gordon Long — glong@mitre.org

JSR-21-02

January 2022

DISTRIBUTION A: Approved for public release; distribution unlimited.

JASON
The MITRE Corporation
7515 Colshire Drive
McLean, Virginia 22102-7508
(703) 983-6997

JASON Report

"an independent group of scientists and engineers formed to work on problems of importance to the federal government"

https://www.census.gov/programs-surveys/decennial-census/decade/2020/planning-management/process/disclosure-avoidance/2020-das-updates/2022-01-31.html

"Top-Down Algorithm" (TDA)




Figure 2.2. Standard Hierarchy of Select Geographic Areas





Figure 2.3. Hierarchy for Disclosure Avoidance System Processing



"Optimized spine"

Privacy-Loss Budget: People

Geographic level	Rho allocation
United States	
County	447/4,099
Tract	, ,
Block	

¹ The Optimized Block Groups used within the TopDown

Algorithm differ from tabulation block groups. These differences civil divisions. The use of optimized bl the Census Bureau's Geography Divisi

Handbook p. 34

improve accuracy for "off-spine" geog In most states, the District of Columbia, and Puerto and post-processing within the TopDo Rico, these block aggregations (called "optimized how the resulting data will be tabulated using the official tabulated using tabulated using the official tabulated using the official tabulated using ta redefined to more closely approximate places (such as cities). In 12 states, blocks were aggregated to more closely approximate minor civil divisions (cities, boroughs, and towns/townships).

Global Privacy-Loss Budget: People

Global rho	2.56
Global epsilon	17.14
Delta	10-10

Source: U.S. Census Bureau.

Privacy-Loss Budget: People

Geographic level	Rho allocation
United States	
State	
County	447/4,099
Tract	687/4,099
Optimized block group ¹	1,256/4,099
Block	165/4,099

¹The Optimized Block Groups used within the TopDown Algorithm differ from tabulation block groups. These differences improve accuracy for "off-spine" geographies like places and minor civil divisions. The use of optimized block groups for measurement and post-processing within the TopDown Algorithm does not impact how the resulting data will be tabulated. All census data products will be tabulated using the official tabulation block groups as defined by the Census Bureau's Geography Division.

Source: U.S. Census Bureau.

Per Query Privacy-Loss Budget: People

	Geographic level and rho allocation							
Query	United				Optimized block			
	States	State	County	Tract	group ¹	Block		
TOTAL (1 cell) ²	N	3,773/4,097	3,126/4,097	1,567/4,102	1,705/4,099	5/4,097		
CENRACE (63 cells)	52/4,097	6/4,097	10/4,097	4/2,051	3/4,099	9/4,097		
HISPANIC (2 cells)	26/4,097	6/4,097	10/4,097	5/4,102	3/4,099	5/4,097		
VOTINGAGE (2 cells)	26/4,097	6/4,097	10/4,097	5/4,102	3/4,099	5/4,097		
HHINSTLEVELS (3 cells)	26/4,097	6/4,097	10/4,097	5/4,102	3/4,099	5/4,097		
HHGQ (8 cells)	26/4,097	6/4,097	10/4,097	5/4,102	3/4,099	5/4,097		
HISPANIC*CENRACE (126 cells)	130/4,097	12/4,097	28/4,097	1,933/4,102	1,055/4,099	21/4,097		
VOTINGAGE*CENRACE (126 cells)	130/4,097	12/4,097	28/4,097	10/2,051	9/4,099	21/4,097		
VOTINGAGE*HISPANIC (4 cells)	26/4,097	6/4,097	10/4,097	5/4,102	3/4,099	5/4,097		
VOTINGAGE*HISPANIC*CENRACE								
(252 cells)	26/241	2/241	101/4,097	67/4,102	24/4,099	71/4,097		
HHGQ*VOTINGAGE*HISPANIC*CENRACE								
(2,016 cells)	189/241	230/4,097	754/4,097	241/2,051	1,288/4,099	3,945/4,097		

N Not applicable.

Source: U.S. Census Bureau.

¹ The Optimized Block Groups used within the TopDown Algorithm differ from tabulation block groups. These differences improve accuracy for "off-spine" geographies like places and minor civil divisions. The use of optimized block groups for measurement and post processing within the TopDown Algorithm does not impact how the resulting data will be tabulated. All census data products will be tabulated using the official tabulation block groups as defined by the Census Bureau's Geography Division.

² The TOTAL query (total population) is held invariant at the state level. This note pertains to the interpretation of the entry in the State column of this row only. This rho allocation assigned to TOTAL at the state level is the amount assigned to the state-level queries for the total population of all American Indian and Alaska Native (AIAN) tribal areas within the state and for the total population of the remainder of the state, for the 36 states that include AIAN tribal areas.

PLB allocation: Person queries

	US	State	County	Tract	OBG	Block	All
Total Population		32.352	8.321	6.403	12.746	0.005	59.826
Race	0.032	0.051	0.027	0.033	0.022	0.009	0.174
Hispanic	0.016	0.051	0.027	0.020	0.022	0.005	0.142
Voting Age	0.016	0.051	0.027	0.020	0.022	0.005	0.142
HHInstLevels	0.016	0.051	0.027	0.020	0.022	0.005	0.142
Household/GQ	0.016	0.051	0.027	0.020	0.022	0.005	0.142
Hispanic × Race	0.081	0.103	0.075	7.898	7.887	0.021	16.063
Voting Age × Race	0.081	0.103	0.075	0.082	0.067	0.021	0.428
Voting Age × Hispanic	0.016	0.051	0.027	0.020	0.022	0.005	0.142
Voting Age × Hispanic × Race	0.274	0.292	0.269	0.274	0.179	0.070	1.357
Detailed	1.990	1.972	2.007	1.969	9.628	3.876	21.443
Total	2.537	35.131	10.905	16.760	30.642	4.025	100.000

JASON Jan '22 p. 34

PLB allocation: Housing occupancy

Global Privacy-Loss Budget: Units

Global rho	0.07
Global epsilon	2.47
Delta	

Source: U.S. Census Bureau.

Puerto Rico allocation...

Privacy-Loss Budget: Units

Geographic level	Rho allocation
Puerto Rico	
Municipio	18,746/219,145
Tract	94,451/262,974
Optimized block group ¹	281,911/657,435
Block	99/820

Handbook p. 37

Privacy-Loss Budget: Units


Geographic level	Rho allocation
United States State County Tract Optimized block group ¹ Block	1/205 7/82 364/1,025 1,759/4,100
	Handbook n. 2E

Handbook p. 35

Geographic level	Rho allocation
US	0.49
State	0.49
County	8.54
Tract	35.51
Optimized BG	42.90
Block	12.07

Expectations

- Smaller counts have larger relative errors
 - Small areas (blocks)
 - Small population groups
- 2. "On-spine" levels have smaller errors
 - States, counties, tracts, "optimized block groups"



County

Tract

OBG

Block

p. 34


US

- 3. Total populations have smaller errors than other counts
 - Except for blocks and "off-spine" levels
- These expectations mix in complex ways!

Total Population by Summary Level, 2010



Total Population by Summary Level, 2010



https://nhgis.org

HOME | SELECT DATA | MY DATA | SUPPORT















ABOUT REGISTER [2] DONATE TO NHGIS [2]

DATA

BROWSE AND SELECT DATA DOWNLOAD OR REVISE MY DATA API ET

SUPPLEMENTAL DATA GEOGRAPHIC CROSSWALKS

ENVIRONMENTAL SUMMARIES

PRIVACY-PROTECTED DEMO DATA

SABINS SCHOOL AREAS

DOCUMENTATION

DATA AVAILABILITY

OVERVIEW OF DATASETS

TABULAR DATA SOURCES TIME SERIES TARLES

GIS FILES

REVISION HISTORY

SUPPORT

FAO

USER GUIDE

USER FORUM ■

RESEARCH

IPLIMS RIBLIOGRAPHY

CITING IPUMS NHGIS

PRIVACY-PROTECTED 2010 CENSUS DEMONSTRAT

The IPUMS NHGIS Privacy-Protected Demonstration Data link togeth Census summary tables:


- 1. Original tables from the 2010 Census Summary Files
- 2. New tables based on experimental runs of the Census Bureau's System (DAS) applied to the original 2010 Census responses

The 2020 DAS represents a major change in the Census Bureau's app privacy. The Privacy-Protected Demonstration Data facilitate assess framework, enabling a broad range of users to investigate and provi quality of data produced by different DAS versions, including both pr the final production system.


- Purpose
- · Feedback and Ouestions
- · Technical Details
- Versions
 - Vintage 2019-10-29
 - Vintage 2020-05-27
 - Coverage
 - Parameters
 - Data Files
 - Vintage 2020-09-17
 - Coverage




Total Population: Errors > 2%




Total Population: Errors > 25%




Persons under 18 Years: Errors > 25%




Hispanic or Latino: Errors > 25%




Native Hawaiian and Other Pacific Islander Alone, Not Hispanic: Errors > 25%




Vacant Housing Units: Errors > 25%




Total Population: Errors > 10% | 2%





Total Population: Errors > 10% | 2%



Total Population: Errors > 10% | 2%







Short straw for Michigan & NY villages

- 56 incorporated places have a population discrepancy of 50 or more
 - 52 of 56 are in Michigan or New York
 - 51 of 56 are population losses
- Worst case: Liberty, NY
 - 4392 → 4113 = -279, -6.4%

Some guidelines

- Be wary of small counts, especially < 100
 - Can you use larger areas or categories?
 - Could you aggregate up?
- Counts > 5,000 are broadly reliable
 - In states, counties, & tracts, counts > 500 are
- In MCD states, use county subdivisions. Elsewhere, use places.
- When possible, use total housing units...

Total Housing Units: Errors > 0%

	States	Counties	Tracts	County Subs	Places	AIANNH Areas	Urban Areas	Uni School Dists	Block Groups	Blocks		
10-	9,300,000	270,000	3,500	27,000	25,000	28,000	250,000	77,000	1,300	100		
9 -	4,700,000	58,000	2,600	4,100	3,800	1,700	20,000	15,000	890	33		
8 -	3,100,000	31,000	2,300	2,200	1,800	530	8,400	9,300	740	22		
7 -	2,700,000	20,000	2,000	1,300	1,000	240	5,100	6,400	640	16		
<u>n</u> 6-	2,200,000	14,000	1,800	870	630	140	3,600	4,500	560	11		
5 -	1,600,000	10,000	1,600	570	400	89	2,700	3,200	500	8		
4 -	1,200,000	7,800	1,400	350	260	58	2,100	2,300	450	5		
3 -	790,000	5,400	1,200	200	160	36	1,700	1,500	390	3		
2 -	500,000	3,500	1,000	96	95	14	1,400	940	340	2		
1-	310,000	1,600	590	27	40	1	1,100	390	240	1		
1	1025 50 75 1025 50 75 1025 50 75 1025 50 75 1025 50 75 1025 50 75 1025 50 75 1025 50 75 1025 50 75 1025 50 75 Percent with discrepancy > 0 %											

Requests for Census Bureau

- Provide more info on optimized block groups
 - The most accurate sub-tract units!
 - Huge potential value for boundaries & tables
- A solution to many problems: margins of error
- If we're left to produce MOEs on our own, we could do that better with more demo data
- Include all admin areas in optimized block groups

Acknowledgments

National Science Foundation

[SES-1324875]

Eunice Kennedy Shriver National Institute of Child Health & Human Development

[NIH-R01HD057929, NIH-R24HD041023]

